



CLICKABLE CHEMICALS CATALOG

CRUBS DATE Accu-Luk







- Eliminate duplicate inventory
- Reduce environmental health and safety issues
- Ensure that all products are GHS labeled
- Simplify purchase orders
- Make the product selection process easy & simple
- Save space in the chemical cabinet



BDIExpress.com



BEFORE







DOCUMENTED COST SAVINGS

ELIMINATE DUPLICATE INVENTORY • REDUCE HEALTH & SAFETY ISSUES • SIMPLIFY PURCHASE ORDERS MAKE SELECTION EASIER • REMOVE USER CONFUSION • ELIMINATE VENDORS • SAVE SPACE

ASK ABOUT OUR WORKPLACE SOLUTIONS MRO CHEMICAL ASSESSMENT!

Learn how ITW Pro Brands can help you:



- Consolidate your MRO chemical inventory
- Reduce labor costs associated with MRO chemical usage
 - Reduce your overall MRO chemical spend
- Reduce overhead costs associated with MRO chemicals
 - Comply with the new GHS guidelines





TABLE OF CONTENTS

Click on the products below or the logos in the sidebar to navigate.

SCRUBS® IN-A-BUCKET® HAND CLEANER TOWELS	4
SCRUBS® MEDAPHENER DISINFECTING WIPES	4
DYKEM® CROSS CHECK™ TORQUE SEAL® – ORANGE	4
DYKEM® REMOVER & PREP	5
DYKEM® STEEL RED™	5
DYKEM® STEEL BLUE®	5
ACCU-LUBE® GEL PASTE LUBRICANT	5
LPS® INSTANT SUPER DEGREASER	6
LPS® TRIFREE	6
LPS® FOOD GRADE SILICONE with DETEX™	6
LPS® PRESOLVE®	7
LPS® TKX®	7
LPS® INSTANT SUPER DEGREASER 2.0	7
LPS® CHAIN MATE®	8
LPS® LST	8
LPS 1 [®]	8
LPS® FOOD GRADE CHAIN LUBRICANT with DETEX™	9
LPS® CFC FREE	9
LPS® FOOD GRADE MACHINE OIL with DETEX™	9
LPS 2 [®]	10
LPS 3®	
LPS® BELT DRESSING with DETEX™	10
LPS® CLEAR PENETRATING GREASE with DETEX™	
LPS® THERMAPLEX® AQUA	
LPS® THERMAPLEX® HI-TEMP	
LPS® THERMAPLEX MULTI-PURPOSE GREASE	11
LPS® FORCE 842®	12
LPS® NATURAL	12
LPS® LUBRICANT	12
LPS® PRECISON CLEAN DEGREASER	12
LPS® KB 88 PENETRANT LUBRICANT	
LPS® DRY FILM PTFE LUBRICANT	13
LPS® FOOD GRADE ELECTRONIC CLEANER	13



SCRUBS IN-A-BUCKET® HAND CLEANER TOWELS

72 TOWELS | PART #42272

SCRUBS® Hand Cleaner Towels combine an advanced cleaning formula with a strong, dualtextured towel to thoroughly clean hands and surfaces ANYWHERE, ANYPLACE, ANYTIME!®

- Clean, citrus frangrance
- Advanced cleaning power
- For use on hands & surfaces
- No sticky residue
- NO SOAP! NO WATER! NO PROBLEM!™



CLICK HERE FOR A QUICK VIDEO!





SCRUBS® MEDAPHENE® PLUS DISINFECTING WIPES

20 OZ. | PART #96365 65 PER CANISTER | 6 CANISTER PER CASE

An effective germ-killing disinfectant combined with a strong, quilted wipe make up SCRUBS® MEDAPHENE® Plus Disinfecting Wipes

- One-step cleaner/disinfectant/deodorizer
- Portable, safe and easy to use
- No spraying or run-off
- Textured wipe works quickly to loosen contaminants to ensure a clean and disinfected surface.





DYKEM® CROSS CHECK™ TORQUE SEAL **ORANGE** 1 OZ. | PART #83314

DYKEM® Cross-Check™ Torque Seal® Tamper-Proof Indicator Paste provides a convenient visual method for identification of vibratory loosening or tampering in nuts, bolts, fasteners, and assemblies.

- Tamper Proof Torque Mark
- Safe for most surfaces
- **Excellent adhesion**
- Visually detects loose nuts & bolts
- Highly visible blue, yellow, red, green, and orange colors are fluorescent



CLICK HERE FOR A QUICK VIDEO!



















DYKEM® REMOVER & PREP

16 OZ. | PART #82038

The preferred solution for removal of DYKEM® Layout Fluids. DYKEM® REMOVER & PREP is non-chlorinated and leaves no residue, preparing the part for the next production.

- Removes layout fluids from metal surfaces
- Dries in minutes
- Does not contain toluene or chlorinated solvents
- Leaves no residue





DYKEM® STEEL RED™

Machine shop operators depend on Dykem® Layout Fluids to scribe sharp, clear, precise lines. When applied, our layout fluids provide a uniform deep color that prevents glare and dries in minutes.

- Provides a uniform deep color that prevents glare and eye strain and allows for sharp, clear, and precise scribes
- Meets A-A 59168 dated 21st May 2014 paragraph 3.1.1 thru 3.2.4.4 with the exception of 3.3(chemical resistance to chlorinated solvents)
- Provides a thin film without cracking/chipping and adds practically no thickness to work surface and dries within minutes
- Reveals defects and pinholes in a variety of surfaces
- Great for inspection of gear tooth contact patterns

16 OZ. | PART #80096



CLICK HERE FOR A QUICK VIDEO!





DYKEM® STEEL BLUE®

Machine shop operators depend on Dykem® Steel Blue Layout Fluid to scribe sharp, clear, precise lines. When applied, our layout fluids provide a uniform deep blue color that prevents glare and dries in minutes.

- Steel Blue® provides a uniform deep color that prevents glare and eye strain and allowes for sharp, clear and precise scribes
- Provides a thin film without cracking/chipping and adds practically no thickness to work surface and dries within minutes
- Meets A-A 59168 dated 21st May 2014 paragraph 3.1.1 thru 3.2.4.4 with the exception of 3.3 (chemical resistance to chlorinated solvents)
- Reveals defects and pinholes in a variety of surfaces and avaliable in multiple packages sizes.
- Great for inspection of gear tooth contact patterns and does not contain any reportable amounts of Xylene





CLICK HERE FOR A QUICK VIDEO!













ACCU-LUBE® GEL PASTE LUBRICANT

8 OZ. | PART #79030

Natural-based gel lubricant works on a wide variety of cutting applications; the workable texture makes it easy to apply to small and large tools with a soft brush without risk of damaging the tool.

- Workable texture makes it easy to apply to small and large tools
- Horizontal applications
- For ferrous & nonferrous metals, aluminum and titanium
- Vegetable-based gel lubricant





LPS® INSTANT SUPER DEGREASER 20 OZ. | PART #720

The non-flammable, non-chlorinated degreaser excellent for removing greases and oils

- Heavy-duty action removes oil, grease, wax, dirt, moisture, tar, and other contaminants
- Heavy-duty performance this is fast evaporating with no rinsing or residue
- Power blast spray that is safe on most metals
- Removes oil, grease, dirt and tar and is fast evaporating
- Non-flammable, and non-conductive, and does not contain chlorinated solvents





LPS® TRIFREE

15 OZ. | PART #3620

The heavy-duty solvent for removal of brake fluid, grease, oil, and other contaminants

- Instantly removes brake fluid, grease and oil from brakes and improves brake performance
- Helps stop disc brake squeal and has a powerful jet spray and high solvency
- Can be applied without dissembling the brake unit
- No ozone depleting chemicas and is fast evaporating with no rinsing or residue
- Does not contain chlorinates solvent





LPS® FOOD GRADE SILICONE with DETEX™

10 OZ. | PART #01716

The non-staining lubricant designed especially for the food industry for use as an anti-stick agent for chutes and slides

- Metal detectable plastic components-DETEX®
- Meets FDA regulation for incidental food contact
- Provides excellent lubrication
- Ideal for releasing molded parts
- Dry film will not attract dust or dirt

















HOME







LPS® PRESOLVE®

15 OZ. | PART #1420

The high flash point solvent specifically designed for precision applications.

- A full strength, penetrating degreaser that removes grease and oil
- Can be used in parts washers, dip tanks, and ultrasonic cleaners
- Does not contain chlorinated solvents such as trichloroethylene or perchloroethylene and is specially-formulated for power utility applications
- Flash point above 140°F (60°C) and is safe to use on most surfaces
- Compatible with power cables and components



CLICK HERE FOR A QUICK VIDEO!





LPS® TKX®

11 OZ. | PART #2016

An excellent, multi-purpose lubricant that loosens rusted or frozen parts

- Displaces moisture
- Protects against corrosion
- Provides a non-drying, long lasting, oily film
- High flash point of >160°F (71°C) and is non-conductive
- Does not contain chlorinated solvents or silicone






LPS® INSTANT SUPER DEGREASER 2.0

20 OZ. | PART #7220

An industrial-strength degreaser with no brominated solvents, trichlorethylene or perchloroethylene for an improved health and safety profile.

- Non-flammable can be used on or near energized equipment. This improves safety and reduces downtime associated with de-energizing equipment.
- Non-brominated improved health and safety profile for increased worker safety and simplified employer compliance.
- Fast Evaporation quickens clean-up time. Improves productivity and reduces downtime
- No Rinsing/No Residue no wiping or rinsing prior to next production step, reduces time and labor.
- Heavy-duty Performance removes oil, grease, dirt, and tar with less cleaner, saving money.













LPS® CHAIN MATE®

11 OZ. | PART #2416

The moly-fortified lubricant that performs under severe loads and extreme temperatures

- Fortified with molybdenum disulfide and increases chain and wire rope life
- Effective under extreme pressure and temperature ranges and contains water displacing solvents to quickly penetrate into cracks and core of wire rope
- Anti-sling adhesion and reduces wear caused by friction and corrosion
- Provides maximum lubrication and corrosion protection
- VOC compliant in all 50 state





HOME

LPS® LST

11 OZ. | PART #1420

Specially formulated with low surface tension for fast penetrating action

- Displaces moisture and Loosens rust and corrosion to free frozen parts
- Powerful foaming action provides complete surface coverage
- Inverta Spray Valve
- Compatible with most rubber and plastic surfaces





LPS 1®

The greaseless lubricant that penetrates quickly, displaces moisture, and will not attract dust or dirt

- Provides a dry, thin, lubricating film that resists oil, dust, and dirt build-up and is ideal for delicate mechanisms
- Removes carbon build-up from surfaces and displaces moisture
- Safe on paint, fabric, and most plastics and loosens rusted or frozen parts
- Used world-wide in aviation
- VOC compliant in all 50 states



11 OZ. PART #116



1 GAL. PART #1128



20 FL. OZ. PART #122



CLICK HERE FOR A QUICK VIDEO!



CLICK HERE FOR A QUICK VIDEO!





LPS® FOOD GRADE CHAIN LUBRICANT with DETEXTM 13 OZ. I

13 OZ. | PART #6016

A water-resistant lubricant designed primarily for the effective lubrication of all types of chains and conveyors operating in food environments.

- Oily, wet film extends chain life
- Foaming action provides deep penetration and lubrication of chain, bushings and pins
- Resists sling-off and water wash-out
- High flash point for reduced flammability concerns
- Excellent for applications involving incidental food contact on food processing equipment



CLICK HERE FOR A QUICK VIDEO!





HOME

LPS® CFC FREE

The fast evaporating contact cleaner that does not contain HCFCs and is plastic safe.

- Safe on Plastics
- Fast Evaporating; Leaves No Residue
- Low Odor
- Penetrating action removes oil, grease, dirt, flux, and other contaminants
- Cleans and degreases delicate precision mechanisms

11 OZ. | PART #3116



CLICK HERE FOR A QUICK VIDEO!





LPS® FOOD GRADE MACHINE & PENETRATING OIL with DETEXTM 11 OZ. | PART #1316

A lubricant and penetrating oil that minimizes friction to provide protection against wear and corrosion.

- Metal detectable plastic components-DETEX® and penetrates to loosen frozen nuts and bolts
- Colorless, non-staining lubricant
- Eliminates sticking, binding, and squeaking
- Provides excellent lubricity
- Safe on most surfaces



CLICK HERE FOR A QUICK VIDEO!







LPS 2®

The strong, oily film multi-purpose lubricant, and penetrant with added corrosion protection.

- Strong, multi-purpose lubricant and penetrant with added corrosion protection and provides a non-drying, light, oily film
- Reduces wear caused by friction and corrosion and loosens rusted or frozen parts
- Provides superier corrosion protection of metal parts during shipment and protects metal parts during indoor storage up to one year
- Does not contain silicone and is safe to use on most plastics, rubbers and paint
- Extremely high flash point / non-conductive and displaces moisture

11 OZ. **PART #216**



1 GAL. **PART #2128**





HOME

LPS 3®

The long-term, waxy film, premier rust inhibitor; protects even in the harshest environment.

- Protects for up to two years indoors
- Safe on all metals, rubber, fabric, plastics, and paints
- Inhibits exfoliation and filiform corrosion of aluminum
- Penetrates to displace moisture
- Prevents rust and corrosion









PART #316



1 GAL. **PART #03128**




CLICK HERE FOR A QUICK VIDEO!

LPS® BELT DRESSING with DETEX™

16 OZ. | PART #2216

- Prevents belt slippage on flat, round, and V-belts; eliminates squeaks
- Contains no chlorinated solvents that deteriorate drive belts
- May be used in wet or outdoor conditions
- Water-resistant
- Metal-detectable plastic components



CLICK HERE FOR A QUICK VIDEO!







LPS® CLEAR PENETRATING GREASE with DETEX™

11 OZ. | PART #6716

A high performance, versatile lubricant fortified with PTFE additives for enhanced lubrication

- Clear lubricating gel
- High tack
- Quick penetrating action
- Metal detectable plastic components
- Resists water washout and protects against corrosion



CLICK HERE FOR A QUICK VIDEO!



HOME

LPS® THERMAPLEX® AQUA

14.1 OZ. | PART #70514

Formulated to resist water washout, and to provide long-lasting lubrication even when fully submerged in fresh or salt water.

- Excellent resistance to fresh or salt water and Resists water wash out
- Greater degree of bearing protection and superior adhesion properties
- Excellent corrosion resistance and reduces wear
- Significant load carrying ability
- Reduces grease consumption





LPS® THERMAPLEX® HI-TEMP

14 OZ. | PART #70214

For use in environments that require exceptionally high temperature resistance, stability, and carbonization resistance.

- Reduces the risk of bearing failure at high temperatures and resists carbonization at high temperatures
- Extends relubrication periods
- Excellent vibration resistance
- Very high dropping point
- Reduces grease consumption and the need for multiple greases





LPS® THERMAPLEX MULTI-PURPOSE GREASE

14 OZ. | PART #70614

For use as a high performance, multifunctional bearing grease in general purpose applications

- Ideal for lubricating all types of bearings Extends relubrication periods and prolongs bearing life
- Excellent load carrying properties
- Good corrosion resistance
- Reduces grease consumption







LPS® FORCE 842®

11 OZ. | PART #2516

For use in extreme conditions, dry moly lubricant protects against surface-to-surface friction.

- Works under high temperatures 842°F (450°C) and pressures 100,000 psi (6890 Bars)
- Prevents seizure of parts and resists dust and dirt
- For assembly and break-in lubrication
- Provides a quick drying, thin film
- Fortified with molybdenum disulfide





LPS® TAPMATIC NATURAL

16 OZ. | PART #44220

The high-performance, biodegradable, naturally organic cutting fluid

- Biodegradable, on-toxic & non-hazardous and safe on all metals
- Great for steel and aluminum
- Extends tool life
- High performance lubricating ability eliminates galling and seizing
- Does not contain sulfur, chlorine, water, mineral oil, or inactive fillers and does not irritate the skin, eyes or espiratory tract





LPS 2® LUBRICANT

20 OZ. | PART #00222

The strong, oily film multi-purpose lubricant, and penetrant with added corrosion protection

- Strong, multi-purpose lubricant and penetrant with added corrosion protection that provides a non-drying, light, oily film
- Reduces wear caused by friction and corrosion and loosens rusted or frozen parts
- Provides superier corrosion protection of metal parts during shipment and protects metal parts during indoor storage up to one year
- Does not contain silicone, Displaces moisture
- Extremely high flash point / non-conductive and is Safe to use on most plastics, rubbers and pain





LPS® PRECISON CLEAN MULTI-PURPOSE CLEANER/DEGREASER 28 OZ. | PART #2728

Multi-purpose, concentrated cleaner/degreaser precisely formulated for industry; removes stubborn soils, greases, oils, sludge, and soot

- Super industrial strength removes tough stains and soils
- Does not contain butyl, chlorinated or petroleum solvents, bleach, ammonia, or abrasives
- Safe of most surfaces (not for use with magnesium & aluminum) and rinces clean
- Alkaline formula inhibits flash rusting
- VOC compliant in all 50 states













LPS® KB 88 PENETRANT LUBRICANT

13 OZ. | PART #2316

KB-88 The Ultimate Penetrant has extremely high solvency and special additives to enhance penetration and attack corrosion.

- Formulated to attack and quickly release rusted and corroded nuts, bolts, hinges, and other frozen components
- High KB solvency value of 151 and low surface tension
- Displaces moisture
- VOC compliant in all 50 states
- Penetrates faster and deeper than most other similar products in the market place









LPS® DRY FILM PTFE LUBRICANT 11 OZ. | PART #2616

A dry film lubricant with strong bonding PTFE for severe temperature and pressure applications; excellent mold release

- · Colorless thin dry film that will not attract dust or dirt and ideal for releasing molded parts
- Excellent for high temperature applications up to 500°F (260°C) and provides excellent lubrication
- Petroleum base
- Does not contain silicone
- Non-staining





LPS® FOOD GRADE ELECTRONIC CLEANER with DETEX® ELECTRONICS CLEANER

11 OZ. | PART #58116

Electronic cleaner approved for incidental food contact by the National Sanitation Foundation (NSF)

- Removes dirt, moisture, oxides, from electronic equipment
- Plastic safe and ideal for cleaning delicate precision mechanisms
- Rapidly evaporates and leaves no residue
- Manufactured for the food industry and safe to use in all plant areas
- VOC Compliant in all 50 states



CLICK HERE FOR A QUICK VIDEO!









Success Made Easier

BDI is a full-line distributor for Bearings, Mechanical and Electrical Power Transmission, Fluid Power, Sealing/Retaining/Locking Devices, Industrial Hose and Fittings, Conveyor Belting, Linear Motion and General Industrial products.

Branches are located throughout the USA, Canada, Mexico, Europe and Asia.














For more information on BDI's capabilities, visit us online at

BDIExpress.com